

Product Specification &



EC FORMAT (EC) 1907/2006 (as amended)

# S776 DOUBLE CLEAN

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier: DOUBLE CLEAN Product Code: S776

### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

A highly concentrated, fast dissolving compound formulated for optimum performance in hot water extraction carpet cleaning equipment. Double Clean contains high quality ingredients for cleaning heavily soiled carpets, plus a special corrosion inhibitor to protect machinery. **Portable extraction machines** - Mix 15ml to 30ml (1 to 2 measure scoops) of Double Clean per 10 litres of hot water (1 to 500) in the machine solution tank.

Truck-mount units - Mix 1 kilo of Double Clean in 20 litres of warm water to make metering concentrate. Set flow meter at 2 to 4 GPH. Always pretest carpet for colour fastness with ready-to-use solution before proceeding.

Pretreat heavily soiled areas with S709 Multi Pro or S710 Trafficlean according to label directions, then follow up with normal extraction cleaning procedure.

### 1.3. Details of the supplier of the safety data sheet:

Prochem Europe Ltd., Oakcroft Road, Chessington, Surrey KT9 1RH, UK. Telephone No (office hours 8am to 5pm, Monday to Friday only): 020 8974 1515 (UK) +44 20 8974 1515 (EC) Chemical Product Manager E, H & S Website: www.prochem.co.uk Email: sales@prochem.co.uk

### 1.4. Emergency telephone number:

020 8974 1515 (UK) +44 20 8974 1515 (office hours 8am to 5pm, Monday to Friday only).

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

### SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture:

CLASSIFICATION (1999/45/EC): Xi R41.

Please see section 16 where the full text of each hazard statement and risk phrase is given.

### Most important adverse effects:

**Eye Contact:** Contact with concentrate or solution may cause severe irritation to eyes and possible risk of damage.

Skin Contact: Prolonged or repeated contact with concentrate or solution may cause irritation and possible dermatitis.

**Inhalation:** Excessive exposure to powder concentrate dust may cause respiratory irritation. No hazard expected in diluted form. **Ingestion:** Ingestion of concentrate may produce nausea and irritation due to alkalinity.

**Environment:** See Ecological Information for further details.

2.2. Label elements:



#### IRRITANT

R41 Risk of serious damage to eyes.

For professional and industrial use only.

Keep out of the reach of children.

Avoid contact with skin and eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin wash immediately with plenty of water.

Wear suitable gloves and eye/face protection.

2.3. Other hazards:

See section 8 for details of exposure limits.

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.2. MIXTURES:					
SUBSTANCE	RISK (See Section 16)	H Statements	EINECS NO.	CAS NO.	% W/W (EC RANGE)
Sodium carbonate	Xi R36	Eye Irrit 2 H319	207-838-8	497-19-8	15 to 30%
Tetrasodium	Xn R22 Xi R41	Acute Tox 4 H302	200-573-9	64-02-8	5 to 15%
ethylenediaminetetraacetate		Eye Dam 1 H318			
Sodium xylenesulphonate	Xi R36/37/38	Not currently available	215-090-9	1300-72-7	5 to 15%
Primary alcohol ethoxylate	Xi R41	Acute Tox 4 H302 Eye Dam 1 H318	None	68439-45-2	1 to 5%
(2-methoxymethylethoxy)propanol	None (community exposure limit)	Not currently available	252-104-2	34590-94-8	1 to 5%
Disodium metasilicate	C R34 Xi R37	Skin Corr 1 B H314 STOT SE 3 H335	229-912-9	6834-92-0	1 to 5%
Perfume (IFRA certified)	Xn R65 Xi R38 R43 N R51/53	Not currently available	None	None	0.1 to 1%

### SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures:

**Eye Contact:** Flush immediately with water for 15 minutes, then seek medical attention.

**Skin Contact:** Flush skin with plenty of water. Seek medical attention if any skin irritation persists.

**Inhalation:** Move to fresh air and seek medical attention if irritation persists. If powder is accidentally inhaled then treat as ingestion and rinse nasal passages.

**Ingestion:** If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed:

Contact with concentrate or solution may cause severe eye irritation and possible risk of damage.

Inhalation of mist or vapour may cause temporary central nervous system effects including dizziness, weakness, fatigue, nausea and headache.

# 4.3. Indication of any immediate medical attention and special treatment needed:

Seek immediate medical attention if swallowed or in the event of contact with eyes.

# SECTION 5: FIRE FIGHTING MEASURES

### 5.1. Extinguishing Media:

Product is not flammable. Use water, carbon dioxide, dry powder extinguisher, or other media appropriate for materials actually involved in fire.

### 5.2. Special hazards arising from the substance or mixture:

No explosion hazards. Exposure to fire may liberate carbon dioxide, carbon monoxide, nitrogen oxides, water and other unidentified thermal decomposition products from this product or its packaging.

### 5.3. Advice for firefighters:

None recommended.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and

emergency procedures:

Wear protective clothing as described in section 8 of this sds. 6.2. Environmental precautions:

Prevent liquid from entering drains or water courses. Advise water authority if large amount of solvent enters drain or water course.

**6.3. Methods and material for containment and cleaning up:** Large spills should be treated with dry absorbent and disposed of at a legal waste disposal site. Small spills can be flushed with water to sewage drain linked to waste treatment facility.

6.4. Reference to other sections:

See sections 8 and 13 for further information.

# SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Wear nitrile rubber gloves and safety glasses when handling concentrate. Wash hands and clothing after use or spill. Do not eat or drink when handling chemicals.

# 7.2. Conditions for safe storage, including any incompatibilities:

Avoid extremes of temperature. Keep out of reach of children. Keep in original container.

### 7.3. Specific end use(s):

A highly concentrated, fast dissolving compound formulated for optimum performance in hot water extraction carpet cleaning equipment.

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters:

10mg/m³ inhalable 4mg/m³ respirable dust EH40. (2-methoxymethylethoxy)propanol (IOELV) WEL-LTEL 50ppm ( $308mg/m^3$ ) (Sk).

Disodium metasilicate suggested WEL-STEL 2mg/m<sup>3</sup>.

## 8.2. Exposure controls:

**Eye/Face Protection:** Side shield safety glasses are recommended when handling concentrate.

Skin Protection: Standard work clothing and nitrile rubber gloves. Protective gloves should be inspected for wear before

use and replaced regularly in accordance with the manufacturer's specifications. **Respiratory Protection:** Not required in normal use. **Ventilation:** Normal air circulation.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties: Appearance: Moist Blue Powder Odour: Lemon mint Odour Threshold: Not determined pH Diluted: 10 pH Concentrate: Not applicable Melting point/freezing point °C: Not determined Initial boiling point and boiling range °C: Not applicable Flash Point °C: None Method: Not applicable Evaporation Rate: Not determined Flammability (solid, gas): Not flammable Upper/lower flammability or explosive limits: Not applicable Vapour Pressure: Not determined Vapour Density: Not determined Relative Density (Water = 1): Not determined Solubility(ies): Soluble Partition Coefficient (N-octanol / Water): Not determined Auto-ignition temperature: Not determined Decomposition temperature: Not determined Viscosity: Not applicable Explosive Properties: Not applicable **Oxidising Properties:** Not applicable % Active: 100 % Solids: Not applicable 9.2. Other Information: None.

### SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:
Stable under normal conditions.
10.2. Chemical stability:
Stable
10.3. Possibility of hazardous reactions:
Not determined.
10.4. Conditions to Avoid:
Extremes of temperature.
10.5. Incompatible materials:
Strong acids and oxidising materials.
10.6. Hazardous Decomposition Products: Exposure to fire

may liberate carbon dioxide, carbon monoxide, nitrogen oxides water and other unidentified thermal decomposition products from this product or its packaging.

# SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects: LD50 4090 mg/kg (oral-rat) (sodium carbonate) LD50 >1740mg/kg (oral-rat) (tetrasodium ethylenediaminetetraacetate) LD50 >2000mg/kg (oral-rat) (sodium xylenesulphonate) LD50 >2000mg/kg (oral-rat) (primary alcohol ethoxylate) LD50 >2000mg/kg (dermal-rat) (primary alcohol ethoxylate) LD50 >3500mg/kg (oral-rat) [(2-methoxymethylethoxy)propanol] LD50 20mg/l (dermal-rabbit) [(2-methoxymethylethoxy)propanol] LC50 7h >500ppm (inhalation-rat) [(2-methoxymethylethoxy)propanol] LD50 600-1350mg/kg (oral-rat) (disodium metasilicate) Inhalation of mist or vapour may cause temporary respiratory irritation; temporary central nervous system effects including dizziness, weakness, fatigue, nausea and headache. Excessive exposure to dust may cause respiratory irritation. Product is alkaline, ingestion may produce gastrointestinal irritation, nausea and diarrhoea. Irritation: Contact with concentrate or solution may cause severe eye

irritation and possible risk of damage. Prolonged or repeated contact with skin may cause irritation and

possible dermatitis.

Corrosivity: Not corrosive.

Sensitisation: Contains citral, limonene and linalool. Repeated Dose Toxicity: Not established

Carcinogenicity: No effects expected based upon current data. Mutagenicity: No effects expected based upon current data. Toxicity for reproduction: No effects expected based upon current data.

### SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity:

LC50 96h >100mg/l (fish) (tetrasodium ethylenediaminetetraacetate) EC50 48h >500mg/l (daphnia) (tetrasodium ethylenediaminetetraacetate) EC50 48h 5.1mg/l (daphnia) (primary alcohol ethoxylate) LC50 96h 11.5mg/l (rainbow trout) (primary alcohol ethoxylate) IC50 1-10mg/l (algae) (primary alcohol ethoxylate) EC50 48h 1919mg/l (daphnia) [(2-methoxymethylethoxy)propanol] LC50 96h >10000mg/l (goldfish) [(2-methoxymethylethoxy)propanol] EC50 96h >969mg/l (green algae) [(2-methoxymethylethoxy)propanol]

### 12.2. Persistence and Degradability:

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. The major packaging materials of polyethylene and fibreboard are recyclable.

### 12.3. Bioaccumulative Potential:

Does not bioaccumulate. 12.4. Mobility in soil:

Soluble in water.

12.5. Results of PBT and vPvB assessment:

Report not required.

12.6. Other adverse effects:

None known or no relevant data available for substances in this mixture.

#### SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods:

Cleaning waste effluent should be disposed of in accordance with regional and national requirements. Empty containers should be rinsed with water then crushed and disposed of at

legal waste disposal site. Contact local Environment Agency office for waste holder requirements.

# SECTION 14: TRANSPORT INFORMATION

14.1. UN number: None

14.2. UN Proper Shipping Name: None 14.3. Transport hazard class(es):

Road (ADR): None Sea (IMDG): None

Rail (RID): None

14.4. Packing Group: None

14.5. Environmental hazards: None

**14.6. Special precautions for user:** No special precautions required other than those previously mentioned in this safety data sheet.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not intended to be carried as bulk.

### SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

The information given has been compiled with reference to the CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS (CHIP 4) 2009 (as amended), REGULATION (EC) No 1272/2008 on CLASSIFICATION, LABELLING and PACKAGING of substances and mixtures, the REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS (REACH) REGULATIONS (as amended), the CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS (COSHH) 2002 (as amended) REGULATION (EC) NO. 648/2004 ON DETERGENTS (as amended) and the MANAGEMENT OF HEALTH AND SAFETY AT WORK REGULATIONS 1999 (as amended). This safety data sheet does not constitute the users own assessment of workplace risk as required by other health and safety regulations.

**15.2. Chemical safety assessment** Not currently available.

### SECTION 16: OTHER INFORMATION

Full text of Risk phrases referred to in Section 2 and 3: R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R37 Irritating to respiratory system. R38 Irritating to skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R51 Toxic to aquatic organisms. R53 May cause long term adverse effects in the aquatic environment. R65 Harmful; may cause lung damage if swallowed.

# Full text of Hazard Statements referred to in Section 2 and 3:

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only.

The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use. **Revisions:** Replaces SDS S776 Issue / Revision Date 07/02/11 Revised Sections: 2, 3.